

ADDENDUM NO. 1
CONTRACT 18-01 GRAVITY SEWER REHABILITATION
CDBG EDISON NO. 12738
TRENTON, TENNESSEE
WAUFORD PROJECT NO. 3628

Date of Addendum: Friday, May 10, 2019
Construction Bid Date: 10:00 AM Local Time, Thursday, May 16, 2019


1. Detailed Specifications, Sub-Section 4, Rehabilitation of Gravity Sewers and Manholes Using Cured-In-Place Pipe and Polymer Lining System, Paragraph 4; "Renovation of Existing Manholes Using Polymer Lining System", Page DS 4-2:

Add the Following sentence:

"The liner system shall have a 10-year warranty."

2. Detailed Specifications, Sub-Section 4, Rehabilitation of Gravity Sewers and Manholes Using Cured-In-Place Pipe and Polymer Lining System, Paragraph 6; "CIPP Installation Procedures", Sub-Paragraph c; Cleaning Existing Sanitary Sewers, Page DS 4-7:

"Trenton Light and Water will provide a water meter that the contractor will use for water during cleaning and lining of the sewers. There will be no charge for the meter or water used."



J. R. WAUFORD & COMPANY,
CONSULTING ENGINEERS, INC.

W. Scott Daniel, P.E.
Tennessee License No. 104425