

## ADDENDUM NO. 1 CONTRACT 16-1 I-40 ADVANTAGE WATER TRANSMISSION LINE SDG GRANT #50461 BROWNSVILLE, TENNESSEE WAUFORD PROJECT NO. 3620

Date of Addendum: Tuesday, November 22, 2016 Construction Bid Date: 10:00 AM Local Time, Thursday, December 1, 2016

1. <u>Detailed Specifications</u>, <u>"Supplemental General Conditions"</u> - <u>CLARIFICATION</u>,

This project is **<u>NOT</u>** a wage rate project.

2. Detailed Specifications, "Bid for Unit Price Contracts",

The attached revised Bid Form shall be used. The revisions include the quantity changes described in Item No. 4 below.

3. Construction Plans, Sheet 2, - CLARIFICATION,


As shown on the plans King Avenue will be open cut, the contractor shall maintain one lane of traffic during this crossing.

4. Construction Plans, Sheet 4, CORRECTION,

The **CSX right-of-way has been modified**, attached are revised sheets showing the change. This will increase the jack and bore crossing at this location by 50 feet.

5. Construction Plans, Sheet 11, CORRECTION,

The Detail for the fire hydrant assembly shows 6" C900 PVC connecting the new waterline to the fire hydrant; this shall be **ductile iron pipe**.



J. R. WAUFORD & COMPANY, CONSULTING ENGINEERS, INC.

W. Scott Daniel, P.E.

Tennessee License No. 104425

## **BID FOR UNIT PRICE CONTRACTS**

			Place	Brownsville, Tennessee
			Date	
			PROJ	ECT: <u>SDG – 50461</u>
Proposal of	(a corporation)	(a partnership)	(an indivi	(hereinafter called "Bidder") a dual doing business as)
		STRIKE OUT	INAPPLI	CABLE TERMS
To the <u>Brov</u>	wnsville Energ	y Authority		
(hereinafter	called "OWNE	R")		

Dear Sir or Madam:

The Bidder, in compliance with your invitation for bids for the construction of

## Contract 16-1: I-40 Advantage Water Transmission Line

having examined the plans and specifications with related documents and the site of the proposed work, and being familiar with all of the conditions surrounding the construction of the proposed project including the availability of materials and labor, hereby proposes to furnish all labor, materials, and supplies, and to construct the project in accordance with the contract documents, within the time set forth therein, and at the prices stated below. These prices are to cover all expenses incurred in performing the work required under the contract documents, of which this proposal is a part.

Bidder hereby agrees to commence work under this contract on or before a date to be specified in written "Notice to Proceed" of the Owner and to fully complete the project within <u>60</u> consecutive calendar days thereafter as stipulated in the specifications. Bidder further agrees to pay as liquidated damages the sum of <u>\$500.00</u> for each consecutive calendar day thereafter as hereinafter provided in Paragraph 3.c. of the Supplemental General Conditions.

Bidder acknowledges receipt of the following addendum:

Bidder agrees to perform all the <u>Water Transmission Line</u> work described in the specifications and shown on the plans, for the following unit prices:

Item No.	Est. Qty.	Description	Unit Price (Each)	Total
1.	10,896 L.F.			
			Dollars & Cents per L.F.	Dollars & Cents
			(\$)	(\$)
2.	600 L.F.	20-inch steel casing pipe installed by Jack and Bore methods, including excavation, backfill, casing, complete in place as shown on the drawings.		
			Dollars & Cents per L.F.	Dollars & Cents
			(\$)	(\$)

ltem No.	Est. Qty.	Description	Unit Price (Each)	Total
3.	680 L.F.	12-inch water pipeline restrained joint, ductile iron pipe, installed in the steel casing pipe including spacers and all incidentals, complete in place.		
			Dollars & Cents per L.F. (\$)	Dollars & Cents (\$)
4.	100 L.F.	14-inch water pipeline, DR 9 PE pipe, installed by Horizontal Direction Drilling (HDD) procedure, complete in place, including tracer wire, adapters, hydrostatic testing, seeding and disinfection	Dollars & Cents Per L.F.	Dollars & Cents
			(\$)	(\$

Item	Est.		Unit Price	
No.	Qty.	Description	(Each)	Total

5. 6 Each Fire hydrant assemblies including any necessary barrel extension, 6-inch resilient seated gate valve with mechanical joint ends and restrained end joints, three-piece valve box with extension stem and concrete pad, mechanical joint tee with swivel branch end connection, 6-inch ductile iron connecting pipe, restraining rods, and fittings for connection to proposed water pipeline, and all excavation, bedding and backfill, complete in place as shown on the drawings Dollars & Cents Per Each **Dollars & Cents** (\$) (\$ ) 6. 4,000 Ductile iron mechanical LBS. joint fittings, for 12-inch water pipelines not included in lump sum price for connections to proposed water pipelines and for fire hydrant assemblies, complete in place, as shown on the plans are where requested by the engineer Dollars & Cents per LB. **Dollars & Cents** (\$\_\_\_\_\_) (\$\_\_\_\_\_

Item No.	Est. Qty.	Description	Unit Price (Each)	Total
7.	2 Each	Connection of proposed 12-inch water pipeline to existing 12- inch water pipeline at water line including 12- inch wet tap and valves, thrust blocking, complete in place as shown on the plans.		
			Dollars & Cents per Each (\$)	Dollars & Cents (\$)
8.	7 Each	12-inch gate valves installed on line where indicated on the drawings and not included in lump sum pay items, including excavations, backfill, valve, valve box, concrete support complete in place		
			Dollars & Cents per Each	Dollars & Cents
			(\$)	(\$)

Item	Est.	Description	Unit Price	<b>T</b> .(.)
No.	Qty.	Description	(Each)	Total
9.	15 C.Y.	Crushed stone (TDOT No. 7 or No. 57) for water pipeline final backfill under paved areas or where requested by the engineer	 Dollars & Cents per C.Y. (\$)	 Dollars & Cents (\$)
10.	15 C.Y.	Class 'C' Portland cement for encasement not included in lump sum items	Dollars & Cents per C.Y.	Dollars & Cents (\$)
11.	10 C.Y.	Mineral aggregate (TDOT Class "A" Grading "D"): for patching of base course where pavement is disturbed and replacement of untreated surface on roadways and unpaved driveways.	Dollars & Cents per C.Y. (\$)	Dollars & Cents (\$)

ltem No.	Est. Qty.	Description	Unit Price (Each)	Total
12.	15 S.Y.	Bituminous plant mix base (hot mix) TDOT grading B Mod. (3-inch thickness) for patching of asphaltic concrete pavement.	 Dollars & Cents per S.Y. (\$)	 Dollars & Cents (\$)
13.	15 S.Y.	Asphaltic concrete (TDOT grading "E", 2- inch depth) for patching of asphaltic concrete pavement	Dollars & Cents per S.Y.	Dollars & Cents
			(\$)	(\$)
14.	11,000 L.F.	Temporary silt fence, complete in place, including maintenance during construction and removal within the one year warranty period		
			Dollars & Cents per L.F.	Dollars & Cents
			(\$)	(\$)
		TOTAL AMOUNT I ITEMS 1 THOUGH INCLUSIVE	•	

Amounts are to be shown in both words and figures. In case of discrepancy, the amount shown in words will govern.)

The above unit prices shall include all labor, materials, bailing, shoring, removal, overhead, profit, insurance, etc., to cover the finished work of the several kinds called for.

Bidder understands that the Owner reserves the right to reject any or all bids and to waive any informalities in the bidding.

The bidder agrees that this bid shall be good and may not be withdrawn for a period of 60 calendar days after the scheduled closing time for receiving bids. Upon receipt of written notice of the acceptance of this bid, bidder will execute the formal contract attached within 10 days and deliver a Surety Bond or Bonds are required by Article 5 of the General Conditions. The bid security attached in the sum of

\_\_\_\_\_\_(\$\_\_\_\_\_) is to become the property of the Owner in the event the contract and bond are not executed within the time above set forth, as liquidated damages for the delay and additional expense to the Owner caused thereby.


Respectfully submitted:

Ву \_\_\_\_\_

(Signature)

(SEAL – *if bid is by a corporation*)

(Title)



DESIGNED WSD DRAWN ACS	CHECKED WSD						NC
FORD Consulting Engineers, Inc.	Jackson, Tennessee (731) 668-1953 www.jrwauford.com						<b>EEK / R.R. CROSSING</b> CO"Ø STEEL CASING PIPE IM WALL THICKNESS AND 2"Ø RESTRAINED JOINT CARRIER PIPE CARRIER PIPE
	Jackson, Tennessee (731) 668-1953 www.jirwauford.com	L BEND & KICKER	& KICKER				RED CK ALL L.F. OF Z L.F. OF Z L.F. OF 7 L.F. OF 7 DE TAIL S
SCALE 1"=50' HOR. 1"=10' VER. DATE	0CT. 2016	32+22± LINE "W-0 4LL 22-1/2' VERTICAL DETAIL SHEET TT	LINE "W-1" • VERTICAL BEND HEET 11	314 do 23814	1		250 142 142 142 142 145 145 145 145 145 145 145 145 145 145
		STA. 32 INSTALL 1-12" 2 SEE DE	574. 31+88± LINE INSTALL 1-12" 22-1/2* VE SEE DE TAIL SHEET	жэрец.	वप्त्राप्त्र ३		